

## LA DESCRIPTION

[Oolong Tea Shaking Machine](#) is one of the important equipment in the process of oolong tea production.

The shaking cage is made of pure natural top layer bamboo, which is environmentally friendly and does not damage tea leaves. The shaking cage has small holes, which can filter out debris falling from the leaves and play a cleaning role.

The machine is equipped with a speed regulating device, which can adjust the speed of shaking. The time control system is added. When the time is up, it will automatically stop working. It is easy to operate and saves time and effort.

## ADVANTAGE

1. The drum is made of bamboo material, which is hygienic and environmentally friendly;
2. Using electromagnetic speed control motor, the speed is stable and durable;
3. Can be electronic timing, easy to operate.

## APPLICATION

Oolong tea shaking drum machine is suitable for processing oolong tea, the following is the working time required for the above tea production.

Type Of Tea	Working Time
Oolong Tea	Total about 1 hour

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

## SPECIFICATION

Specification of [DL-6YQT-6015 oolong tea shaking drum](#).


Model	DL-6CYQT-6015	
Input voltage	220V / 380V	
Dimensions(L*W*H)	2100×800×1000 mm	
Roller diameter	600 mm	
Roller length	1500 mm	
Drive motor	power	1.1 kW
	speed	1400 r/min
	Rated voltage	380 V
Working speed of roller	0-30 r/min	
Roller materials	Bamboo	
Capacity	32 kg/time	

All specification list of [tea shaking drum](#).

Model	6CYQT-6015	6CYQT-8012	6CYQT-9025	6CYQT-9025-2
Drum Diameter	60 cm	80 cm	90 cm	90 cm
Drum Length	150 cm	120 cm	250 cm	250 cm
Drum Quantity	1 pcs	1 pcs	1 pcs	2 pcs
Capacity	32 kg	46 kg	120 kg	240 kg

We also can customized the oolong tea shaking drum machine according your needs.

## DETAILS



Convenient design of copper lock, with spring locking function, can quickly open and close bamboo door.



The bamboo door with holes can screen out the broken tea leaf dust during oolong tea tossing step, and can improve the quality of tea.



Steel tube and steel ring reinforcement design, the machine runs smoothly, and the body vibration is small.



Integrated Chinese and English control panel, with time control function and adjustable speed, is the necessary equipment for the production of high-grade oolong tea.

## PHOTOS

**Assistant**  
...Delix Tea Machine

1. 动力 10.5kw  
2. 10.5kw

## Oolong Tea Drum DL-6CYQT-6015



**32 kg per batch**  
**All Bamboo Drum**  
**For Oolong Tea Shaking**

**Drum Size : D60 X L150**


Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
WhatsApp/ WeChat/ Tel: 0086-18120033767







 **Assistant**  
Deli Tea Machine



[DELIJX.COM](http://DELIJX.COM)





计时器  
Time Control



报警器  
Alarm LED



电源指示灯  
Power LED



调速器  
Speed Control



启动开关  
Start switch

茶叶摇青 ( 浪青 ) 机

[DELIJX.COM](http://DELIJX.COM)

## CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact information at the bottom.  
We usually contact you in about 10 minutes ↓ ↓